
NSR/PSD Policy & Guidance Database

| Title | Author |
|--|-------------------|
| 3M Tape Manufacturing Division | John B. Rasnic |
| A.I. DuPont Institute PSD Permit | Edward E. Reich |
| Acceptability of Emission Offsets | Robert D. Bauman |
| Accumulations of Emissions | Richard Biondi |
| Additional Guidance on Prevention of Significant Deterioration (PSD) Regulations | Roger Strelow |
| Administrative Order -- Lake County Waste To Energy Facility Okahumpka, Florida | Jack E. Rayan |
| Administrator's Decision on PSD Issue -- Review of New Source's Ability to Meet BACT | Douglas M. Costle |
| Agreement that the PSD Regulations Require a Source to Commence Construction | Edward E. Reich |
| Air Quality Analysis for PSD | Gerald A. Emison |
| Ambient Air | Robert D. Bauman |
| Ambient Air Definition | G.T. Helms |
| Ambient Air Issue from New Jersey Department of Environmental Protection | G.T. Helms |
| American Soda.. Multi-facility Source Determination | Richard Long |
| An Aluminum Rolling Mill is not a Secondary Metal Production Plant Under 40 CFR 52.21 | Edward Reich |
| Analysis of the Applicability of PSD to the Anheuser-Busch, Incorporated Brewery and Nutri-Turf, Incorporated Landfarm at Fort Collins, Colorado | Robert G. Kellam |
| Appeal Procedures for PSD Permits Under The Consolidated Permit Regulations | Edward E. Reich |
| Applicability Determination for Delco Products in Dayton, Ohio | Edward E. Reich |
| Applicability Determination for PSD- Hot Mix Asphalt Operations | Howard Bergman |
| Applicability Determination for the Richmond Lube Oil Project | Edward E. Reich |
| Applicability Determination Regarding the Proposed Replacement and Reconfiguration of the High Pressure Section of Two Steam Turbines at Detroit Edison's Monroe Power Plant | Francis X. Lyons |
| Applicability of Building Downwash in PSD Permit Analyses | John Calcagni |
| Applicability of EPA's PSD Regulations to Floating Seafood Processors | David C. Bray |

NSR/PSD Policy & Guidance Database

| Title | Author |
|--|----------------------|
| Applicability of Nonattainment NSR To Tennessee Valley Authority Shawnee Plant Demonstration Project | Darryl D. Tyler |
| Applicability of NSPS and PSD Requirements to a Proposed Fuel Conversion | Edward Reich |
| Applicability of NSPS for Coal Preparation to Coal Unloading Operations | Kenneth A. Gigliello |
| Applicability of NSR Requirements to the Henkel Corporation | John B. Rasnic |
| Applicability of NSR Review Circumvention Guidance to 3M - Maplewood, Minnesota | John B. Rasnic |
| Applicability of Policy on Limiting Potential to Emit to GM Morrain Assembly Plant, Dayton, Ohio | John B. Rasnic |
| Applicability of PSD & NSPS to the Cleveland Electric, Incorporated, Plant in Willoughby, Ohio | Edward J. Lillis |
| Applicability of PSD and NSPS to Northern States Power Company | Edward E. Reich |
| Applicability of PSD and NSPS to Two Coal-Fired Boilers on Eastern Illinois University's Charleston, Illinois Campus | Pamela Blakley |
| Applicability of PSD Increments Over Company Property | Walter C. Barber |
| Applicability of PSD Increments to Building Rooftops | Joseph A. Cannon |
| Applicability of PSD Permitting Requirements, Wellcraft Marine Corporation, Sarasota, Florida | R. Douglas Neeley |
| Applicability of PSD Regulations | Edward E. Reich |
| Applicability of PSD Requirements to Asphalt Plants | Edward E. Reich |
| Applicability of PSD Requirements to the Wisconsin Electric Power Company Port Washington Life Extension Project | Don R. Clay |
| Applicability of PSD to Carter Oil Company Pilot Plant | Walter C. Barber |
| Applicability of PSD to Pennsylvania Power and Light Auxiliary Boiler | Edward E. Reich |
| Applicability of PSD to Portions of a Plant Constructed in Phases Without Permits | Darryl D. Tyler |
| Applicability of PSD to the Consolidated Edison Company | Edward E. Reich |
| Applicability of PSD to Watertown Power Plant, South Dakota; Shut Down For 9 Years | John B. Rasnic |
| Applicability of PSD Under the Stay | Edward E. Reich |

NSR/PSD Policy & Guidance Database

| Title | Author |
|--|--------------------------|
| Applicability of PSD-WEPCO Rule for Existing Five Combined-Cycle Combustion Turbines at Cogen Technologies, Union County | Steve Riva, EPA Region 2 |
| Applicability of Section 169 of the CAA (PSD) in Respect to the Control of Hydrogen Sulfide Emissions from New Geothermal Power Plants in California | Edward E. Reich |
| Applicability of the Emission Offset Policy | Edward E. Reich |
| Applicability of the PSD Regulations to a Modification at the Little America Refinery | Peter H. Wyckoff |
| Applicability of the PSD Regulations to Powerplants that are Certified by DOE as "Peakload Power Plants" | Edward E. Reich |
| Applicability of Title V Permitting Requirements to Gasoline Bulk Terminals Owned by Williams Energy Ventures, Inc. | Winston A. Smith |
| Application for a Pollution Control Project Exemption - Potlatch Corporation, Lewiston | Douglas E. Hardesty |
| Application of PSD Review to a Portland Cement Manufacturing Operation, Texas Industries, Inc. | Edward E. Reich |
| Approaches to Creating Federally-Enforceable Emissions Limits | John S. Seitz |
| Appropriate VOC Emission Limits for the Proposed Pilot Coating Equipment in Maplewood | Steve Rothblatt |
| Appropriateness of Certain Economic Arguments in BACT Analysis | Gary McCutchen |
| Approval of Local Implementation Plans | Howard J. Hoffman |
| Assistance in Determining BACT for Simple-Cycle Natural Gas Turbine Peaker Project Proposed by Standard Energy Ventures | Pamela Blakley |
| Assistance in Determining Routine Maintenance, Repair or Replacement | Winston A. Smith |
| Automatic or Blanket Exemptions for Excess Emissions During Startup, and Shutdowns Under PSD | John B. Rasnic |
| Averaging Times for Compliance With VOC Emission Limits - SIP Revision Policy | John R. O'Connor |
| B. F. Goodrich - PSD modification | Edward E. Reich |
| BACT and LAER for Emissions of Nitrogen Oxides and Volatile Organic Compounds at Tier 2/Gasoline Sulfur Refinery Projects | John S. Seitz |
| BACT Applicability | |
| BACT Applicability for Coke Oven Batteries | Edward Reich |

NSR/PSD Policy & Guidance Database

| Title | Author |
|--|------------------------------|
| BACT Baseline for Louisa Generating Station | Micheal A. Trutna |
| BACT Determinations for Power Plants Subject to Revised NSPS | Walter C. Barber |
| BACT Exemptions in PSD Review | Edward E. Reich |
| BACT for NOx Emissions from Oil Field Steam Generators | Edward E. Reich |
| BACT Fugitive Emissions of Hydrocarbons | |
| BACT Information for Coal-Fired Power Plants | Walter C. Barber |
| BACT/LAER Determination Cut-off Date | John Seitz |
| BACT/LEAR Cutoff Date Policy and Recent PSD Appeal Decision | Mamie Miller |
| Baseline Date in Determining Net Emissions Increases | Darryl D. Tyler |
| Baseline Period for Determining the Net Change in Emissions - RR Donnelley Printing Company | Kathleen Henry, Region 3 |
| Baseline Value for PSD Increment Consumption | Edward E. Reich |
| Boilout under PSD | Edward E. Reich |
| Bridgeport Harbor Coal Conversion | Edward E. Reich |
| Cadillac Renewable Energy... Retrofit BACT for Burning of Tire Derived Fuel | Robert Millier, EPA Region 5 |
| Calculating Amortized Capital Costs | Robert D. Bauman |
| Calculation of Cost Effectiveness of Emission Control Systems | Brian L. Beals |
| Calvert City Power Combustion Turbine Facility | Winston A. Smith |
| City of Detroit/General Motors Corporation: Central Industrial Park | Valdas V. Adamkus |
| Clarification - State Implementation Plans (SIPs): Policy Regarding Excess Emissions During Malfunctions, Startup, and Shutdown | Eric Schaeffer, John Seitz |
| Clarification Concerning the Scope of Construction-Related Activities that may Occur prior to Issuance of a PSD Permit | John S. Seitz |
| Clarification Concerning Which Organic Chemicals are to be Regulated in Several New Source Performance Standards (NSPS) | Jack Edwardson |
| Clarification of Applicability of the PSD Regulations at 40 CFR 52.21 to Modifications at Major Stationary Sources that Increase Emissions of Noncriteria Air Pollutants | John S. Seitz |
| Clarification of Current Air Program Issues | Richard G. Rhoads |

NSR/PSD Policy & Guidance Database

| Title | Author |
|---|------------------------------|
| Clarification of EPA Conditional Determination Made on June 9, 1980 | Peter Wycoff |
| Clarification of Guidance for Calculating Actual or Potential Emissions | John S. Seitz |
| Clarification of New Source Review Policy on Averaging Times For Production Limitations | John Seitz |
| Clarification of PSD Guidance For Modeling Class 1 Area Impacts | John S. Seitz |
| Clarification of Sources Subject to PSD Review | D. Kent Berry |
| Clarification of Statement of a Memorandum Entitled "Crediting of MACT Emission Reductions for NSR Netting and Offsets" | John S. Seitz |
| Clarification of the Federal Air Pollution Regulation for the PSD as it Applies to Municipal Incinerators | Edward E. Reich |
| Clarification of the Term "Glass Fiber Processing Plant" | Dennis W. Crumpler |
| Clarification of the Use of Appendix I of the Clean Air Act Stationary Source Civil Penalty Policy | Kathie A. Stein |
| Clarification Regarding Which Permits are Federally Enforceable | Thomas W. Rarick |
| Clarifications on "Secondary Emissions" as Defined in the Code of Federal Regulations (CFR) | John Calcagni |
| Class I Area Significant Impact Levels | John Calcagni |
| Classification of Emissions from Landfills for NSR Applicability Purposes | John S. Seitz |
| Classification of Ethanol Fuel Plants under PSD | Edward E. Reich |
| Classification of the Bardstown Fuel Alcohol Company under PSD | Edward E. Reich |
| CO BACT at the Propose Sithe Energy Heritage Generating Facility | Steven Riva, EPA Region 2 |
| Colorado's Proposed Short Term Limits Policy | Richard R. Long |
| Columbus Power Partners... NOx BACT for Simple Cycle Turbines | Pamela Blakely, EPA Region 5 |
| Commence Construction Under PSD | Edward Reich |
| Comments on the Draft Permit for Conoco Coker and Sulfur Recovery | Douglas M. Skie |
| Comments on the Indiana Department of Environmental Management Proposed Permit for NIPSCO Bailly Generating Station | David Kee |
| Common Control for Maplewood Landfill and Industrial Power Generating Corporation | Judith M. Katz |
| Common Control, September 18, 1995 Letter to Peter Hamlin | William A. Spratlin |

NSR/PSD Policy & Guidance Database

| Title | Author |
|--|-------------------|
| Completeness of PSD Applications | Walter C. Barber |
| Consideration of Fugitive Emissions from Grain Elevators | Edward J. Lillis |
| Consideration of Fugitive Emissions in Major Source Determinations | Lydia Wegman |
| Consolidated PSD Permits | Edward E. Reich |
| Construction Activities at Georgia Pacific | John B. Rasnic |
| Construction Activities Prior to Issuance of a PSD Permit with Respect to "Begin Actual Construction" | Edward E. Reich |
| Contingency Plan for FGD Systems During Downtime as a Function of PSD | Edward E. Reich |
| Court of Appeals Decision Upholding PSD "Actual to Potential" Applicability Rules Puerto Rican Cement Co., Inc. v. EPA | Gregory B Foote |
| Craven County Wood-Energy Project | Bruce P. Miller |
| Crediting of MACT Emission Reductions for NSR Netting and Offsets | John S. Seitz |
| Criteria for Determining whether Equipment is Air Pollution Control Equipment or Process Equipment | David Solomon |
| Cumulative Environmental Impacts from Multiple Electric Generating Stations | Michael McCabe |
| Cumulative Impacts on the Air Quality Related Values (AQRVs) of Shenandoah National Park | Michael McCabe |
| Cut-Off Date for Determining LAER in Major New Source Permitting | John Seitz |
| De Minimis Values for NOx RACT | G.T. Helms |
| Deadline for Commencement of Construction of the Eastport Refinery | David G. Hawkins |
| Deficient Permit Notification Notice For Lake County Waste to Energy Facility | Jack E. Ryan |
| Definition of "Installation" in Nonattainment Regulations | Walter C. Barber |
| Definition of Postapproval Monitoring | Ed Lillis |
| Definition of Source | Edward Reich |
| Department of Interior Procedures for Determinations of Adverse Impact on Certain Federal Lands under the PSD Program | Robert Bauman |
| Designation of Issues -- World Color Press | William K. Reilly |
| Determination for Davidson Exterior Trim/Textron | John S. Seitz |

NSR/PSD Policy & Guidance Database

| Title | Author |
|---|------------------|
| Determination of Emission Points Subject to LAER | Edward E. Reich |
| Determination of Interpretative Ruling (IR) | Edward E. Reich |
| Determination of Lowest Achievable Emission Rate for Coors Container Corporation | Douglas M. Skie |
| Determination of the Applicability of NSPS and PSD to Stationary Gas Turbines Converting From Middle Distillates to Natural Gas | Edward E. Reich |
| Determination of Whether Emissions From Seagram and Sons Whiskey Storage Facility are Fugitive | Cheryl Newton |
| Determining PSD Applicability Thresholds for Gas Turbine Based Facilities | Edward J. Lillis |
| Discounted Cash Flow (DCF) Analysis for Craven County Project New Source Review | Frank L. Bunyard |
| Distribution of Report on Procedures to Estimate Nitrogen Oxides (NOx) Emission Increases from Mobile and Area Sources for Prevention of Significant Deterioration (PSD) Increment Analyses | Eric Noble |
| Do Combined Cycle Gas Turbine Systems Qualify as "Electric Utility Steam Generating Units" for Purposes of Determining Applicability of NSR | John S. Seitz |
| Do Glass Manufacturing Plants Belong Under the Chemical Processing Plant Category | Walter C. Barber |
| Draft PSD Guidance for Impacts of the North County Resource Recovery PSD Remand | Darryl D. Tyler |
| Effect of Changing Stack Heights on PSD Modeling and Monitoring | John Calcagni |
| Emission Offset Exemptions for RRF's | Gerald A. Emison |
| Emission Offset Policy | John B. Rasnic |
| Emission Offset Policy - Determination of Replacement Facility | Edward E. Reich |
| Emission Offset Requirements and The Replacement of Ozone Depleting Compounds with VOCs | John S. Seitz |
| Emission Offset Requirements in Secondary Standard Total Suspended Particulate Plans | David G. Hawkins |
| Emissions from Landfills | Gerald A. Emison |
| Emissions from Rocket Firing at Test Stands; Fugitive or Point Source Emissions | Ronald Shafer |
| Emissions from Ships Unloading at a Dock | Edward E. Reich |
| Emissions Offset Policy - City of Philadelphia | Edward E. Reich |

NSR/PSD Policy & Guidance Database

| Title | Author |
|---|------------------------------|
| Emissions Trading Policy -- Technical Clarifications | Sheldon Meyers |
| Endangered Species Act Consultation | D. Kent Berry |
| Enforceability Requirements under Condition 2 of the Emission Offset Policy | Edward E. Reich |
| Environmental Appeals Board Order on Tennessee Valley Authority | Judge Stein |
| EPA Definition of "Pollution Prevention" | F. Henry Habicht II |
| EPA Objection to Tucson Electric Power ("TEP") Title V Permit | Jack Broadbent, EPA Region 9 |
| EPA Quality Assurance Policy Statement | James H. Finger |
| EPA Reconsideration of Application of Collocation Rules to Unlisted Sources of Fugitive Emissions for Purposes of Title V Permitting | Lydia N. Wegman |
| EPA Region IX Policy on PSD Permit Extensions | Wayne Blackard |
| EPA Region VIII220s Opinion on Otter Tail Power Company220s Coyote Station Low Pressure Rotor Upgrade Proposal | Richard R. Long |
| EPA Review of Proposed Title V Operating Permit for TriGen-Colorado Energy Corporation | Kerrigan G. Clough |
| EPA, FWS, NPS Coordination Procedures for Determining Air Quality Impact in Region IV Class I Areas | Thomas Devine |
| EPA's Conclusion that WEPCO's Proposed Renovations to its Port Washington Power Plant Would be Subject to NSPS and PSD Requirements | William G. Rosenberg |
| EPA's Review of Proposed Title V Permit No. 0170004-004-AV Florida Power Corporation Crystal River Plant | Winston A. Smith |
| EPA's Revised Policy with Respect to the New Source Review (NSR) Offset Provisions in Attainment, Marginal and Moderate Ozone Nonattainment Areas in the Ozone Transport Region (OTR) | Conrad Simon |
| Ersna PSD Applicability Determinations | Edward E. Reich |
| ESCO Corp. Source Determination | Joan Cabreza |
| Establishing Emissions Representative of Normal Source Operation for Furnace E, Owens-Brockway Glass Container, Inc., Atlanta, Georgia | R. Douglas Neeley |
| Exclusion of Exempt Solvents From VOC Calculations | G.T. Helms |
| Exemption for Certain Fuel Conversions from PSD Review | James T. Wilburn |
| Exemption of Dimethyl Acetamide (DMAC) from Regulation Under PSD Review | Bruce P. Miller |

NSR/PSD Policy & Guidance Database

| Title | Author |
|--|---------------------------------------|
| Exemptions form PSD Permit Requirements for Coal Conversions Resulting from DOE Prohibition Orders | Edward E. Reich |
| Expediting the Process of a PSD for a Power-Generating Facility | Wallace N. Davis |
| Extension of January 25, 1995 Potential to Emit Transition Policy | John S. Seitz, Robert I. Van Heuvelen |
| Federal Enforceability of Offsets in SIP Programs | David G. Hawkins |
| Federal Enforceability of State's Existing Minor New Source Review (NSR) Programs | John S. Seitz |
| Federal Enforceability Under PSD | Kathleen M. Bennett |
| Fifth Circuit Order Dismissing Petition for Review Filed by Golden Aluminum Company | Jeffery B. Renton |
| Final Determinations Regarding the Applicability of the Clean Air Act's NSPS and PSD Requirements to the Proposed Life Extension Project at the Port Washington Steam Electric Generating Station Owned by WEPCO | Lee M. Thomas |
| Follow - up Letter on June 3, 1986 Remand of the North County Resource Recovery Associates PSD Permit in San Marcos, California | David P. Howekamp |
| Follow up on Request for EPA's Headquarters to Review Region V's Previous Determination that the Proposed Fuel Conversion was a "Major Modification" for PSD Purposes | Gerald A. Emison |
| Forest Products Industry Permitting Information | Jole C. Luehrs |
| Formation of a Federal Advisory Committee Act Subcommittee for New Source Review (NSR) Issues | John S. Seitz |
| Fuel Conversion from Natural Gas to Distillate Fuel Oil - Chemplex | Edward E. Reich |
| Fugitive Emissions from Coal Preparation Plants | Steven A Herman |
| General Applicability of the Existing PSD Regulations, Promulgated June 19, 1978, and the Amendments Proposed September 5, 1979 | Richard Wilson |
| General Electric (GE) Silicones, Request for Pollution Control Project Exclusion | Steven Riva, EPA Region 2 |
| General Motors, Inc. PSD Appeal No. 01-30 EAB Decision | Judge Fulton |
| Georgetown Cogeneration Project as a Minor Source | Bernard E. Turlinski |
| Gray Iron Foundry Not Subject to PSD | D. Randall Mayfield |
| Great Salt Lake Minerals Source Determination | Richard R. Long |

NSR/PSD Policy & Guidance Database

| Title | Author |
|--|--------------------------|
| Guidance Determining Applicability of New Major Source Regulations in the Granting of Construction Permits to Sources of Air Emissions | Edward J. Lillis |
| Guidance for Determining BACT Under PSD | David G. Hawkins |
| Guidance for Proposed Construction at Buckeye Cellulose Corporation | Bruce P. Miller |
| Guidance for State Rules for Optional Federally-Enforceable Emissions Limits Based on Volatile Organic Compound (VOC) Use | D. Kent Berry |
| Guidance on Determining LAER | John Calcagni |
| Guidance on Early Delegation of Authority for the NO2 Increments Program | Gerald A. Emison |
| Guidance on Enforceability Requirements for Limiting Potential to Emit Through SIP and Section 112 Rules and General Permits | Kathie A. Stein |
| Guidance On Enforcement of PSD Requirements Under the Clean Air Act | Michael S. Alushin |
| Guidance on Implementing the Nitrogen Dioxide (NO2) PSD Increments | John Calcagni |
| Guidance on Limiting Potential to Emit in New Source Permitting | Terrell Hunt, John Seitz |
| Guidance on Major Modification Provisions of PSD Rules as Applied to "RePermitting" at Acme Steel Co. | Cheryl L. Newton |
| Guidance on Mobile Energy Services Company Burning Tire Derived Fuel | R. Douglas Neeley |
| Guidance on PSD Applicability for Refuse-to-Energy Facilities | Edward E. Reich |
| Guidance on the Appropriate Injunctive Relief for Violations of Major New Source Review Requirements | Eric V. Schaeffer |
| Identification of Candidates for BACT Determinations | John S. Seitz |
| Impact of Clean Air Act Nonattainment Sanctions | David G. Hawkins |
| Impact of Secondary Emissions in NSRs | David G. Hawkins |
| Implementation of North County Resource Recovery PSD Remand | Gerald A. Emison |
| Implementation of Revised PSD Program for Particulate Matter | Darryl D. Tyler |
| Implementation of the Revised Modeling Guidance for PSD | Darryl D. Tyler |
| Improved NSR/PSD Program Transfer | Darryl D. Tyler |
| Improving Air Quality with Economic Incentive Programs | |
| Improving NSR Implementation | J. Craig Potter |

NSR/PSD Policy & Guidance Database

| Title | Author |
|--|-----------------------------|
| In the Matter of Ogden Martin Systems of Onondaga, Inc. | Environmental Appeals Board |
| Inconsistency in the Calculation of Volatile Organic Compound (VOC) Emission Rates Using the Results of U.S. Environmental Protection Agency (EPA) Methods 25 and 25A. | Winston A. Smith |
| Indeck-Niles, LLC PSD Appeal No. 02-03 EAB Decision | Judge Reich |
| Indiana Air Pollution Control Board Approves a Modification on a PSD Permit for General Motors in which Two Coal-Fired Boilers are Forgiven a SO2 Control Requirement | Valdas V. Adamkus |
| Indiana's NOx SIP Rules | John S. Seitz |
| Inherent Controls on Ready Mix Cement Silos | William Harnett, OAQPS |
| Inherent Control - Hot-Mix Asphalt Industry | Walter C. Barber |
| Interim Guidance on New Source Review (NSR) Questions Raised in Letters Dated September 9 and 24, 1992. | A. Stanley Meiburg |
| Interim Implementation of NSR Requirements for PM2.5 | John S. Seitz |
| Interim Policy Determination Related to NSR/PSD Significance Level for ODS | John S. Seitz |
| Interim Policy on Stack Height Regulatory Actions | J. Craig Potter |
| International Paper; Nacogdoches, Nacogdoches Co., Texas; PSD-TX-766M1, Permit Amendment | Jole C. Luehrs |
| Inter-Power PSD Appeal Nos. 92-8 and 92-9 | |
| Interpretation of "Constructed" as it Applies to Activities Undertaken Prior to Issuance of a PSD Permit | Edward E. Reich |
| Interpretation of 40 CFR 24752.21 Federal Regulations for the Prevention of Significant Air Quality Deterioration (PSD) | Edward E. Reich |
| Interpretation of Ambient Air | Donald C. Toensing |
| Interpretation of Offset Policy | Edward E. Reich |
| Interpretation of PSD Regulations as they Apply to CIBRO, Albany, New York | Edward E. Reich |
| Interpretation of Section 52.21(i) (3) of the Regulations for the PSD Requirement | Joan Z. Bernstein |
| Interpretation of Section 52.21(i)(5) of the PSD Regulations | Edward E. Reich |
| Interpretation of the Definition of Fugitive Emissions in Parts 70 and 71 | Thomas C. Curran |
| Interpretation of the Policy on Compliance with the Statutory Provisions of Part D | Joseph A. Cannon |

NSR/PSD Policy & Guidance Database

| Title | Author |
|--|------------------|
| Interpretative Ruling: Allowable Emissions Baseline | Walter C. Barber |
| IPALCO's Proposed Patriot, Indiana Generating Station | Edward E. Reich |
| Is a Solvent Reclamation Facility Considered a Chemical Process Plant | Carla E. Pierce |
| Is Fuel Switching Subject to PSD Review | Michael Trutna |
| Issuance of Permit to Operate Several Air Pollution Sources Operated by AM General Corporation | David Kee |
| Issuance of PSD Permit to Sources Impacting Dirty and Clean Air Areas | Edward E. Reich |
| Issuance of PSD Permits in Attainment Areas Where Violations have been Modeled | Marcia L. Spink |
| Issue Concerning EPA's Position on what Fuel Combustion Equipment should be Counted Toward the 250 Million BTU/hr under PSD Requirements | David Kee |
| January 22, 1998 on Pro-Tec | Cherly Newton |
| Jewell Coal And Coke Company - Applicability Of Condition 2 Of The Interpretative Ruling | Edward E. Reich |
| Kamine Development Corporation Request for a PSD Innovative Control Technology Waiver | Ed Lillis |
| LAER Applicability Relocated Coating Lines | Rich Biondi |
| LAER Determination for a Previously Constructed Source | John S.Seitz |
| LAER Emission Limits for Automobile and Light-Duty Truck Topcoat Operations | Jack R. Farmer |
| LAER Standards - U.S.S. Corporation | Edward E. Reich |
| Letter Addressing EPA's Requirements for Nonattainment Areas | Edward E. Reich |
| Letter Concerning a Proposal by GM to Burn Natural Gas in Existing Industrial Boilers at an Estimated 28 Sites in Region 5 | David Kee |
| Letter Concerning Proposal GM Burning Natural Gas in Existing Industrial Boilers at an Estimated 16 Sites in Michigan and 12 Other Sites in Region V | David Kee |
| Letter Regarding the Offset Exemption for Resource Recovery Facilities in Part 231of the New York SIP | Conrad Simon |
| Limitation of Potential to Emit with Respect to Title V Applicability Thresholds | John Calcagni |
| Maintenance Program for Existing Gas Turbines | Edward E. Reich |
| Major Source Determinations for Military Installations under the Air Toxics, New Source Review, and Title V Operating Permit Programs of the Clean Air Act | John S. Seitz |

NSR/PSD Policy & Guidance Database

| Title | Author |
|---|---------------------------|
| MAYTEP, Determination of Applicability | Edward E. Reich |
| Memo on PSD Applicability Determination for an Ethanol Plant | Edward E. Reich |
| Mobile Emission Reduction Credits | David P. Howekamp |
| Model Accuracy and Uncertainty | William G. Laxton |
| Monroe Electric Generating Plant Petition No. 6-99-2 | Carol M. Browner |
| Motiva Enterprises, LLC Low Sulfur Gasoline (LSG) Project - Related Emission Increase Methodology | Rebecca Weber |
| N.Y. State Electric and Gas Jennison Station Use of Tire-Derived Fuel | Kenneth Eng |
| National Asphalt Pavement Association Questions and Answers on PSD | Darryl D. Tyler |
| Need for Emission Cap on Complex Netting Sources | Darryl D. Tyler |
| Need for Short-Term BACT Analysis for the Proposed William A. Zimmer Power Plant | Gerald A. Emison |
| Net Emissions Increase Under PSD | Sheldon Meyers |
| New Mexico NSPS/NESHAP Delegation | William B. Hathaway |
| New Source Offset Against Vehicle Inspection and Maintenance Program | Stanley W. Legro |
| New Source Review (NSR) Program Supplemental Transitional Guidance on Applicability of New Part D NSR Permit Requirements | John S. Seitz |
| New York's SIP for NSR | Conrad Simon |
| Niobrara Compressor Station | Martin Hestmark |
| No. 1 Recovery Furnace Maintenance, Repair and Replacement Project, PCA Pulp and Paper Mill, Valdosta, Georgia | R. Douglas Neeley |
| North Carolina Air Permits Federal Enforceability | Fin Johnson |
| North County Resource Recovery Associates PSD Appeal No. 85-2 | David P. Howekamp |
| Northeast Hub Partners and United Salts Single Source Determination | Judith Katz, EPA Region 3 |
| Notification to Federal Land Manager Under Section 165(d) of the Clean Air Act | David G. Hawkins |
| Notification to Federal Land Managers Under Section 165(d) of the Clean Air Act | David G. Hawkins |
| NOx Controls For Existing Utility Boilers | Bill Neuffer |
| NSPS Subpart DD Applicability Determination Request | Betty Wiese |

NSR/PSD Policy & Guidance Database

| Title | Author |
|---|---|
| NSR & PSD Rules Regarding Fugitive Emissions Applicable to Major Sources | Cheryl L. Newton |
| NSR Advisory Memo # 1 : TSP PSD Increment Consumption in North Carolina | Gary McCutchen |
| NSR Modeling Emission Baselines | Edward E. Reich |
| NSR Program Transitional Guidance | John S. Seitz |
| NSR Requirements for Lead | Richard G. Rhoads |
| NSR Requirements in Areas Unclassified for Ozone | Richard G. Rhoads |
| NSR Rules Which Apply to the Conversion to Coal at the Hibbard Station Units 3 & 4 | Steve Rothblatt |
| NSR Workshop Manual (DRAFT 1990) | OAQPS, PDF'd by EPA Region 7 |
| OAQPS Review and Conclusions on Lynchburg Foundry Project | Eileen M. Glen |
| Objection to Quebecor World Franklin's Title V Permit | Winston A. Smith |
| Offset Credit; G. M. Plant, Shreveport, LA | Howard G. Bergman |
| Offset Policy - Marathon Oil Company, Garyville, Louisiana | Edward E. Reich |
| Offset Requirements for U.S. Steel's Fairfield Modernization | Richard D. Wilson |
| Offsets in Nonclassifiable Areas | Edward J. Lillis |
| Offsets Required Prior to Permit Issuance | John S. Seitz |
| Old Sources being Brought On Line - PSD Applicability | Roger Pfaff |
| Operational Guidance on Control Technology for New and Modified MWC's | Gerald A. Emison |
| Opinion in Frank J. Kelley, Michigan Natural Resources Commission, Michigan Air Pollution Control Commissions, and David F. Hales V. Albar Industries, C.A. No. 88-CV-10302-FL, E.D. Michigan, February 7, 1989 | Terrell E. Hunt |
| Opinion in U.S. V. Louisiana-Pacific Corporation, Civil Action No.86-A-1880 | Micheal S. Alushin |
| Opinion in U.S. vs. Louisiana-Pacific Corporation. D. Colo.; Interpreting Certain PSD Regulations | Thomas L. Adams Jr. |
| Opinion on if Packaging Corporation of America Project is Routine Maintenance | Gregg M. Worley |
| Opinion On Whether Making a Bypass Stack Functional Constitutes Routine Repair and Maintenance | Makeba A. Morris |
| Opinion on Whether Maricopa County Environmental Services Department Had Correctly Interpreted and Applied EPA's Nonattainment NSR Rules | Robert G. Kellam for William T. Harnett |

NSR/PSD Policy & Guidance Database

| Title | Author |
|---|------------------------------|
| Options for Limiting the Potential to Emit (PTE) of a Stationary Source Under Section 112 and Title V of the Clean Air Act (Act) | John S. Seitz |
| Order Denying Petition for Objection to Permit - Kawaihae Cogeneration Partners vs. Maui Electric Company | OAQPS |
| Order Denying Review -- Colmac Energy Inc. (Riverside County,CA) | Lee M. Thomas |
| Order Denying Review -- Hadson Power 12 - Alta Vista Applicant | William K. Reilly |
| Order Denying Review -- Hawaiian Commercial & Sugar Company Permit No. HI 89-01 | |
| Order Denying Review -- Huntington Mass-Burn Incinerator | William K. Reilly |
| Order Denying Review -- Multitrade Limited Partnership - PSD Appeal No. 92-2 | |
| Order Denying Review -- Old Dominion Electric Cooperative | William K. Reilly |
| Order Denying Review -- Spokane Regional Waste to Energy | William K. Reilly |
| Order Denying Review -- Spokane Regional Waste to Energy Project; Revised Permit Determination | William K. Reilly |
| Order on Motion for Stay -- Columbia Gulf Transmission Company | William K. Reilly |
| Order on Petition for Review -- Hibbing Taconite Company, Petitioner | William K. Reilly |
| Order Responding to Borden Chemicals, Inc. in Geismar, LA | Carol M. Browner |
| Ozone Control Strategy - Regional Office Review of Potential in Improvements In New Source Review (NSR) Regulations | G.T. Helms |
| P. H. Glatfelter220s Pulp and Paper Mill (PHG) Pollution Control Project Exclusion | Kathleen Henry, EPA Region 3 |
| Part D New Source Review Requirements for Areas Requesting Redesignation to Attainment | Mary D. Nichols |
| Permit Shields and NSR | Ann Pontius |
| Permitting Considerations for Installation of Inlet Air Foggers on Simple Cycle Combustion Turbines at the Duke Power Lincoln Combustion Turbine Facility | R. Douglas Neeley |
| Permitting Multi-Phase Construction Under PSD Regulations | Edward E. Reich |
| Petitions for Review of PSD Regulations | Micheal Trutna |
| Phased Permits for PSD | James B. Weigold |
| Pine State Power Cogeneration Project and International Paper Company | David B. Conroy |

NSR/PSD Policy & Guidance Database

| Title | Author |
|--|-------------------------------|
| Plantwide Definition Of Major Stationary Sources Of Air Pollution | J. Craig Potter |
| Policy Decisions With Regard To The Applicability Of The Clean Air Act Requirements To The Strategic Petroleum Reserve | David G. Hawkins |
| Policy Determination on Limiting Potential to Emit for Koch Refining Company's Clean Fuels Project | John B. Rasnic |
| Policy Determinations Regarding PSD Questions | Dean Kanipe |
| Policy on Excess Emissions During Startup, Shutdown, Maintenance, and Malfunctions | Kathleen M. Bennett |
| Pollution Control Projects and New Source Review (NSR) Applicability | John S. Seitz |
| Pollution Control Technical Manual | howard D. Zeller |
| Portland General Electric Harborton, Oregon | Lloyd A. Reed |
| Position Regarding Concurrent Review Under PSD and the Offset Policy | Edward E. Reich |
| Potential Enforcement Action Against Masonite Corporation | John S Seitz |
| Potential to Emit (PTE) Guidance for Specific Source Categories | John S. Seitz, Eric Schaeffer |
| Preconstruction Review & Cons | Dave Howekamp |
| Prevention of Significant Deterioration (PSD) Emission Thresholds for Fountain Foundry | Pamela Blakley |
| Procedures for EPA to Address Deficient New Source Permits Under the Clean Air Act | Michael S. Alushin |
| Processing of SIP Submittals | John Calcagni |
| Proposed Netting for Modifications at Cyprus Northshore Mining Corporation, Silver Bay, Minnesota | John Calcagni |
| Proposed Revision to the Missouri Implementation Plan Pertaining to Charcoal Kilns | Edward E. Reich |
| PSD - Routine Maintenance Repair and Replacement | Edward E. Reich |
| PSD Analysis for SIP Relaxation in Metropolitan Boston Air Pollution Control District - Eastman Gelatin | Edward E. Reich |
| PSD and NSPS Applicability Determination for Guardian Industries' Flat Glass Plant in Corsicana, Texas | Edward E. Reich |
| PSD and NSPS Applicability PEPCO Dickerson Generating Station Unit #4 | Edward E. Reich |
| PSD and NSPS Applicability to a Reactivated Source | Edward E. Reich |

NSR/PSD Policy & Guidance Database

| Title | Author |
|--|---------------------|
| PSD Applicability | Edward E. Reich |
| PSD Applicability - Public Service Electric and Gas Company | Meyer Scolnick |
| PSD Applicability - Temporary Emissions | Edward E. Reich |
| PSD Applicability Analysis for a Past Change at the Georgia-Pacific Taylorsville Facility Particleboard Plant, Taylorsville, Mississippi | R. Douglas Neeley |
| PSD Applicability Determination | Edward E. Reich |
| PSD Applicability Determination - ARCO Petroleum Refinery | Edward E. Reich |
| PSD Applicability Determination - Babylon 2 | Edward E. Reich |
| PSD Applicability Determination - Ideal Basic | Edward E. Reich |
| PSD Applicability Determination - Southwestern Public Service Company | Edward E. Reich |
| PSD Applicability Determination for Multiple Owner/Operator Point Sources Within a Single Facility | John Calcagni |
| PSD Applicability Determination for Power Boiler No. 4 at the Potlatch Corporation Facility in Lewiston, Idaho | Bruce C. Buckheit |
| PSD Applicability Determination for Proposed Transfer of Boiler from LTV Steel to Minnesota Power | Bill Harnett, OAQPS |
| PSD Applicability Determination; Commenced Construction | Edward E. Reich |
| PSD Applicability for a PSD-Avoidance Permit Action for Intermet Corporation's Archer Creek Facility | Kathleen Henery |
| PSD Applicability for Ashland Chemical's Maleic Anhydride Plant in Neal, West Virginia | Edward E. Reich |
| PSD Applicability of SO2 Emissions from Incineration of Total Reduced Sulfur | John Calcagni |
| PSD Applicability Pulp and Paper Mill | Edward E. Reich |
| PSD Applicability Request, Valero Hydrocarbon Company Yoakum, DeWitt County Texas | William B. Hathaway |
| PSD Applicability Request, Valero Transmission Company Yoakum, DeWitt County, Texas | Jack S. Divita |
| PSD Applicability to Coal Conversions | Edward E. Reich |
| PSD Applicability to Exxon Chemical Modification, Baytown, Texas | Edward E. Reich |
| PSD Applicability to Non-Attainment Pollutants | Edward E. Reich |

NSR/PSD Policy & Guidance Database

| Title | Author |
|---|-----------------------|
| PSD Applicability, South Hospah Mine | Edward E. Reich |
| PSD Applicability: TEX-USS High Density Polyethylene Plant | Edward E. Reich |
| PSD Applicability: Coal Blending | Edward E. Reich |
| PSD Applicability: Industrial Scrap Processing Company | Edward E. Reich |
| PSD Applicability; Asphalt Concrete Plants | Edward E. Reich |
| PSD Definition of "Modification" | Gerald A. Emison |
| PSD Definition of Source | Edward Reich |
| PSD Determination - Consolidated Edison of New York | Edward E. Reich |
| PSD Determination - Pittston Petroleum Refinery, Eastport, Maine | Edward E. Reich |
| PSD Determination Cabot Corporation - Fuel Conversion | Edward E. Reich |
| PSD Determination of Applicability - UMD Coal Gasification Plant | Edward E. Reich |
| PSD Determination, Portland Cement Plant | Edward E. Reich |
| PSD Determination: Sun Oil Company and the Definition of Major Modification | Edward E. Reich |
| PSD Equivalency of Proposed Model Rule for California | Walter C. Barber |
| PSD Evaluation of Secondary Emissions for Houston Lighting and Power | Edward F. Tuerk |
| PSD Guidance Document | National Park Service |
| PSD Guidance, 40 CFR 52.21 (b)(2)(d) - Definition of "Capable of Accommodating" | Roger Pfaff |
| PSD Increment Baseline | Bill Beal |
| PSD Increment Consumption Calculations | John R. O'Conner |
| PSD Increment Consumption Guidance | James T. Wilburn |
| PSD Increment Consumption Question | Darryl D. Tyler |
| PSD Issues (Federal Paperboard Plant) | Richard G. Rhoads |
| PSD Performance Testing for IC Engines | Edward E. Reich |
| PSD Permit Enforceability - Annual Fuel Limitations | Edward E. Reich |
| PSD Permit for the Marblehead Lime Company | Edward E. Reich |

NSR/PSD Policy & Guidance Database

| Title | Author |
|---|--|
| PSD Question Concerning Common Control, Alliant Energy and Climax Molybdenum | John S. Seitz |
| PSD Questions | Edward E. Reich |
| PSD Questions Associated with Proposed Modification at E.I. Du Pont De Nemours and Company's Spruance Plant | Judith M. Katz |
| PSD Reconstruction Requirements American Cyanamid Company | Edward E. Reich |
| PSD Regulations | Edward E. Reich |
| PSD Regulations - Interpretation of "Commencement of Construct" | Roger Strelow |
| PSD Requirements | Stuart N. Roth |
| PSD Requirements | Edward E. Reich |
| PSD Requirements for Reactivated Sources | William A. Spratlin, Jr. |
| PSD Review Requirements for Modified Petroleum Refineries | Richard G. Stoll, Jr. |
| PSD Significance Levels for Monitoring | Darryl D. Tyler |
| Public Notices Dated Jan. 19, 1979 to Branch Chiefs | Thomas W. Devine |
| Q & A on Implementing the Revised Stack Height Regulation | G.T. Helms |
| Questions Posed by Connecticut DEP Regarding the Moving and Addition of Operating Facilities by Web Technologies | Linda M. Murphy |
| RACT and Emission Reduction Credits Issues | John S. Seitz |
| RACT for New Automobile Assembly Plants | G.T. Helms |
| RACT Requirements in Ozone Nonattainment Areas | Gerald A. Emison |
| RACT/LEAR Determination for Casket Coaters | G.T. Helms |
| Reactivation of Amerada Hess Corporation's Port Reading Facility and PSD Review | Edward E. Reich |
| Reactivation of Noranda Lakeshore Mines' RLA Plant and PSD Review | John S. Seitz |
| Recent Administrative and Judicial Decisions Regarding Consideration of Source Separation in Determining BACT Under PSD | Jeffrey B. Renton |
| Recommendation on Whether 112(g) Applies to a Proposed Modification at New Flyer USA in St. Cloud, MN | Robert B. Miller, Chief, Region 5 Permits and Gran |
| Region IX NSR/PSD Rule Making Backlog | Gerald A Emison |

NSR/PSD Policy & Guidance Database

| Title | Author |
|--|----------------------------------|
| Region VIII's Interpretation of the Applicability of the 1992 WEPCO Rule to Electric Utilities that Upgrade and/or Replace Turbines | Richard R. Long |
| Regulated Pollutant | Robert G. Kellam |
| Re-Issuance of Clarification - State Implementation Plans (SIPs): Policy Regarding Excess Emissions During Malfunctions, Startup, and Shutdown | Eric Schaeffer and John S. Seitz |
| Release of Interim Policy on Federal Enforceability of Limitations on Potential to Emit | John S. Seitz |
| Remand -- Honolulu Resource Recovery Facility, Applicant | Lee M. Thomas |
| Remand Order - Bio Energy Corporation | William K. Reilly |
| Remand Order - Pennsauken County, New Jersey Recovery Facility | Lee M. Thomas |
| Renovation and Repair of the Tanquisson Power Plant (Guam) | David Howekamp |
| Replacement of Steam Tubes and Turbine Blades at Southern Indiana Gas and Electric Co. (SIGECO) Culley Station Unit #3 | Margaret M. Guerriero |
| Representative Source Operations Over Last Two Years | Steven Riva, EPA Region 2 |
| Request by Hawaiian Electric Co. to Burn 2.0% Sulfur Fuel Oil at their Kahe Units #1-5 | Sheldon Meyers |
| Request for Administrator to Initiate Review of PSD Permit for Camden County Resource Recovery Facility | Christopher J. Daggett |
| Request for Administrator to Initiate Review of PSD Permit for Columbia Gulf Transmission Company, Clementsville Compressor Station, Kentucky | Greer C. Tidwell |
| Request for Clarification of EPA Guidance on the Alternative Fuels Exemption under the PSD Program | Winston A. Smith |
| Request for Clarification of Policy Regarding the "Net Emissions Increase" | John Calcagni |
| Request for Concurrence as to Applicability of PSD and NSPS Regulations to Marblehead Lime Company Proposed Lime Plant | Edward E. Reich |
| Request for Confirmation of the Definition of a 100-Ton Source as Applied to Controls in the Gasoline Storage and Marketing Chain | G.T. Helms |
| Request for Determination on BACT Issues -- Ogden Martin Tulsa Municipal Waste Incinerator Facility | Gary McCutchen |
| Request for Extension on PSD Permit for Indianapolis Power and Light Company | Walter C. Barber |
| Request For Further Clarification on EPA's Definition of "Ambient Air" | John S. Seitz |

NSR/PSD Policy & Guidance Database

| Title | Author |
|--|---------------------|
| Request For Guidance in Drafting a SIP Deficiency Notice For Michigan's Nonattainment New Source Review Program | Darryl D. Tyler |
| Request for Guidance on PSD Applicability Determinations for Boiler Emissions | R. Douglas Neeley |
| Request for PSD Applicability Determination, Golden Aluminum Company | William B. Hathaway |
| Requirement to Publish All Significant Final Actions Under Title I of The Clean Air Act | James T. Wilburn |
| Resolving Nonattainment NSR Violations by Making Major Sources Minor | Bruce P. Miller |
| Response to a Letter Regarding the Use Of Urea Injection In Place of Ammonia Injection | Gerald A. Emison |
| Response to a Letter Requesting the Applicability of PSD and/or NSPS to Certain Changes Proposed for a Petroleum Storage Facility | Edward E. Reich |
| Response to a Question Concerning the Use of the Significant Levels for Air Quality Impact as Outlined in Section III.A. of 40 CFR 51, Appendix S. | James T. Wilburn |
| Response to Action Memorandum - Policy for New Sources in Non-Attainment Areas, Hampton Roads Oil Refinery | Edward F. Tuerk |
| Response to Appeal Dated May 21, 1992 From Reserve Coal Properties Company | Edwin B. Erickson |
| Response to Appeal on Behalf of Consolidation Coal Company | Marcia L. Spink |
| Response to BACT Determinations Inquiry from Alabama Department of Environmental Management | Gary McCutchen |
| Response to Follow-up Questions From the Hearing on "Air Quality Issues Affecting Our Forests and Public Lands." | William K. Reilly |
| Response to Inquiry Regarding Environmental Review of Air Emissions From a Landfill Site in Ventura Co. | Wayne A. Blackard |
| Response to Kay Phillips Regarding a Review on the Stack Height Regulations and Accompanying Preamble Language | Darryl D. Tyler |
| Response to Letter by Golden Aluminum Requesting EPA Reconsider a Final PSD Applicability Determination | William Rosenberg |
| Response to Letter on the Use of Sulfur Dioxide Allowances Allocated Under the Acid Rain Program | Stephen Rothblatt |
| Response to Letter Regarding the Louisiana Department of Environmental Protection's Position on the PSD Significant Emission Level for ODS at Existing Major Sources | John S. Seitz |

NSR/PSD Policy & Guidance Database

| Title | Author |
|--|----------------------|
| Response to Letter Requesting Clarification on Determination that the "Emission Offset" Ruling (41 FR 55525) Does Not Apply to FEA's Choctaw Salt Dome Project | Walter C. Barber |
| Response to Letter Requesting the EPA Repeal the Alternative Fuels Exemption in the PSD Regulations | John S. Seitz |
| Response to May 20, 1994 Letter from Robert H. Collom, Jr. | Kathie A. Stein |
| Response to Memo Regarding Reasons why Waste Tires Should be Given an Exemption From EPA's Requirements for PSD | Gerald A. Emison |
| Response to Petition Regarding the Emissions Offset Exemption For Resource Recovery Facilities in Part 231 of the New York SIP | William J. Muszynski |
| Response to Question Concerning whether the Requirements for Preconstruction Review of New or Modified Air Pollution Sources Apply to the Relocation of an Existing Asphalt Concrete Plant when such Relocation does not Result in any Increase in Emissions | Walter C. Barber |
| Response to Question on whether the Combustion of Municipal Sewage Sludge would Qualify as "Municipal Solid Waste" under the Exemption Provided in Section IV.B. of the Draft Changes to EPA's Emission Offset Interpretive Ruling | D. Kent Berry |
| Response to Question Regarding the Use of the Growth Allowance Contained in Part D SIPs Under the CAA for Areas Included in the Post 1987 SIP Call | Bruce P. Miller |
| Response to Questions Concerning The Ozone Transport Commission's Investigation of the Possibility of a Regionwide Nitrogen Oxide (NOx) Offsets Trading Program. | John S. Seitz |
| Response to Questions Regarding PM-10 Condensibles | Thompson G. Pace |
| Response to Questions Regarding PPG Industries | R. Douglas Neeley |
| Response to Questions Regarding Volatile Organic Compounds | Barbara McAllister |
| Response to Request for Determination as to whether EPA's "Emission Offset" Policy (41 FR 55525) Applies to FEA's Strategic Petroleum Reserve Program | Walter C. Barber |
| Response to Request For EPA-Region I's Determination on the Applicability of it's Regulations and the Clean Air Act Amendments of 1990 to the Montachusett Regional Recycling Facility | Linda M. Murphy |
| Response to Request for EPA's Interpretation of Several Provisions of the Clean Air Act | William G. Rosenberg |
| Response to Request for Guidance Concerning Installation of Nitrogen Oxides Continuous Emissions Monitoring Systems | John B. Rasnic |
| Response to Request for Guidance in Defining Adjacent with Respect to Source Aggregation | Richard R. Long |

NSR/PSD Policy & Guidance Database

| Title | Author |
|---|-----------------------------|
| Response to Request for Guidance on PSD Definition Referencing Cogeneration Gas Turbines that are Separated by One-Half Mile | Douglas M. Skie |
| Response to Request for Guidance on Use of Pre-1990 ERC' s and Adjusting for RACT at Time of Use | John S. Seitz |
| Response to Request for PSD Applicability Determination | John Calcagni |
| Response to Request for Written Confirmation that the 100-Ton per Year Potential Emission Exemption for Graphic Art Systems Applies to Plantwide Emissions, Not to Each Printing Line | William L. Polglase |
| Response to September 7, 2001 Letter on PSD | John S. Seitz |
| Response to Specific Questions on Interstate Trading and New Source Review (NSR) Under the Nitrogen Oxides (NOx) Emissions Budget Concept | John S. Seitz |
| Responses to Issues Raised by Industry on Clean Air Act Implementation Reform | Mary D. Nichols |
| Results of PSD Requirements for WEPCO Inquiry by the State of Wisconsin | David A. Kee |
| Resumption of Operation at a Portland General Electric Plant | Lloyd A. Reed |
| Review of Craven County Wood Energy Project | Allen C. Basala |
| Review of De Minimis Emissions - Sanctions | Ronald Shafer |
| Review of Valero Hydrocarbons BACT Analysis | Allen C. Basala |
| Revised Final Determination, on Reconsideration, Regarding the Applicability of the Clean Air Acts NSPS and PSD | Don R. Clay |
| Revised Seasonal Afterburner Policy | Walter C. Barber |
| Reynolds and Westvaco Plant Proposed Ozone (O3) State Implementation Plan (SIP) Revisions | G.T. Helms |
| Rochester Public Utilities Silver Lake Plant; Steam Line Modification | Robert Miller, EPA Region 5 |
| Salt Water Drift From Cooling Towers | Gary D. McCutchen |
| Seasonal Afterburner Policy, Applicability of Part D NSR Requirements | Robert D. Bauman |
| Shell Oil Company Wilmington Complex Specification of 215Source216 | Edward E. Reich |
| Should DuPont and DUSA International be Considered a Single Source for Title V and PSD | R. Douglas Neeley |
| Should Gasoline be Considered as Petroleum in Determining if Source is Major | Douglas Neeley |
| Should Pro-Tec be Permitted as a Major Source | Cherly Newton |

NSR/PSD Policy & Guidance Database

| Title | Author |
|---|-------------------------------------|
| Significant Modification to LAER/PSD Application: Ocean Peaking Power, L.P. | Steven C. Riva |
| Single Source Determination for Coors/TriGen | Richard R. Long |
| Single Source Determination for Gallation Steel Co. and Heckett MultiServ | Henry Thomas for John S. Seitz |
| Site Specific Determination of Common Control United Technologies Corporation; Columbus G.A. | Jewell A. Harper |
| Source Applicability Under the Interpretive Ruling | Edward E. Reich |
| Source Construction Prior to Issuance of PSD Permit | Edward E. Reich |
| Source Definition Issue for KN Power - Front Range Energy Associates, LLC/PSCo Generating Facility | Richard Long, EPA Region 8 |
| Southern LNG, Inc., Elba Island Terminal, Savannah Georgia Draft Air Quality Permit and PSD Preliminary Determination | R. Douglas Neeley |
| St. Lawrence Cement... Two Facilities or One? | EPA Region 2, Steven Riva |
| State Implementation Plans: Policy Regarding Excess Emissions During Malfunctions, Startup, and Shutdown | Steven A. Herman, Robert Perciasepe |
| Stationary Source Enforcement | Eric Cohen |
| Submission of State Air Permits as SIP Revisions | Richard G. Rhoads |
| Summary of PSD Policy Determinations made by Region IV | Thomas W. Devine |
| Supplemental Guidance on Implementing the North County PSD Remand | John Calcagni |
| Supplemental PSD Applicability Determination; Cyprus Casa Grande Corporation Copper Mining and Processing Facilities | David P. Howekamp |
| Support Facility Determination... Oscar Mayer and Madison Gas & Electric | Robert Miller, EPA Region 5 |
| Tall Stack Policy and its Relationship With PSD | Roger Strelow |
| Technical Document on Control of Nitrogen Oxides From Municipal Waste Combustors | Jack R. Farmer |
| Technical Feasibility of SCONox | DeVillars, EPA Region 1 |
| Temporary and Contracted Operations | |
| Tennessee Gas Pipeline Pollution Control Project | Steven Riva, EPA Region 2 |
| Texas Air Control Board Inquiry Regarding Allowable Emissions in PSD NAAQS Analyses | William B. Hathaway |
| The Use of Permit Conditions to Define Potential to Emit | Richard G. Rhoads |

NSR/PSD Policy & Guidance Database

| Title | Author |
|--|------------------------------|
| Time Frames for Determining of Applicability to NSR | Edward E. Reich |
| Time Request for the Finalization of a BACT Determination for a New Emissions Source | Gary McCutchen |
| Tire Derived Fuel Classified as Municipal Solid Waste for a PSD Exemption | John Calcagni |
| Transfer of Technology in Determining Lowest Achievable Emission Rate (LAER) | John Calcagni |
| Transmittal of Background Statement on "Top-Down" BACT | John Calcagni |
| Transmittal of OAQPS Interim Control Policy Statement | John S. Seitz |
| Treatment of Aluminum Die Casting Operations for the Purposes of NSR Applicability | Thomas C. Curran |
| TSP Redesignation Requests | Joseph W. Paisie |
| Turbine Enhancements and PSD Applicability -- Holcomb Station | Don C. Toensing |
| Turbine Replacement Issue | Steven C. Riva |
| U.S. District Court, District of Oregon, Order, Oregon Environmental Council and the Sierra Club v. Oregon Department on Environmental Quality | Christopher A. James |
| UNAMAP 6 Dispersion Modeling with Building Wake Effects | Joseph A. Tikvart |
| Union Carbide Chemicals and Plastics Company, Inc PSD Applicability | Jole C. Luehrs |
| United Salt Northeast PSD Determination | Kathleen Henry, EPA Region 3 |
| USDA Forest Service, Rocky Mountain Region PSD Permit Completeness Determination | Unknown |
| Use of Allowable Emissions for NAAQS Impact Analysis Under the Requirements for PSD | John Calcagni |
| Use of Banked ERC's as Both External Offsets and Reasonable Further Progress Reductions | Darryl D. Tyler |
| Use of Long Term Rolling Averages to Limit Potential to Emit | John B. Rasnic |
| Use of Netting Credits | John Calcagni |
| Use of Shutdown Credits for Offsets | John S. Seitz |
| Use of the Ambient Ratio Method for Modeling Significant Ambient Impacts of NO2 | Daniel J. deRoeck |
| Valero Hydrocarbons BACT Analysis, PSD-TX-746 | Anthony P. Wayne |
| Valero Refinery Oxygen Enrichment Project | Steven C. Riva |

NSR/PSD Policy & Guidance Database

| Title | Author |
|---|--------------------|
| Vinyl Chloride Barge Loading - Mantua Terminals | Edward E. Reich |
| Watts Bar Nuclear Plant Title V Applicability | Jewell A. Harper |
| Westvaco Paper Mill - PSD Applicability | Edward E. Reich |
| Weyerhaeuser Company Oriented Strand Board Plant in Elkin, North Carolina | R. Douglas Neeley |
| Wheeling-Pittsburgh Steel Corporation, Monessen Coke Battery No. 1; Evaluation of Corporation Proposed Rehabilitation and NSR Applicability Determination | Richard D. Wilson |
| When is a Source Required to Undergo Review For Both Offsets and PSD | Marvin B. Durning |
| Whirlpool Corporation; Fort Smith, Arkansas | A. Stanley Meiburg |
| Written Response to National Park Service Regarding Concerns over the Limited Time NPS has to Review PSD Permit Applications for Facilities that may Impact Class I Areas | Edward F. Tuerk |